

# NewFeelling

**Party Laser Light** 









#### F2022 Series

Power Supply: AC100-240V 50 / 60Hz

Rated power: 40W

Scanning system: high-precision stepper motor scanning system, large-angle scanning

Laser Sources: Diode

Operation Modes: DMX512 / self-propelled / voice control / master / slave

Channel mode: 5CHS Cooling system: forced cooling by fan

Working environment: indoor

Dimensions: L345 \* W290 \* H165mm

Weight: 4 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
F1022	100mw/650nm	60mw/532nm	1	\$ 80,00
F1022D	1	1	1000mw/450nm	\$ 107,00
F2022	100mw/638nm	80mw/532nm	150mw/450nm	\$ 104.00













# F1033

Power Supply: 90 V - 240 V / AC

Rated power: 40W

Scanning system: 1.8 ° high-precision stepper motor scanning

Laser pattern: 25 Laser Sources: Diode

Operation Modes: DMX512 / self-propelled / voice control / master / slave

Channel mode: 10CHS Cooling system: forced cooling by fan

Working environment: indoor Dimensions: L445 \* W150 \* H80mm

Weight: 4.5 kg





Model NO	Power Red	Power Green	Power Blue	Refer Price
F4500-932-40K	150mw/650nm	80mw/532nm	150mw/450nm	\$ 134,00











# F1066 Series

Power Supply: AC100-240V 50 / 60Hz

Power: 40W

Scanning system: high-precision stepper motor scanning system, large-angle scanning

Laser Sources: Diode Laser pattern: 25 Laser Sources: Diode

Operation Modes: DMX512 / self-propelled / voice control / master / slave

Channel mode: 10CHS Cooling system: forced cooling by fan

Working environment: indoor Dimensions: L632 \* W158 \* H88mm

Weight: 5 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
F1066	100mw/650nm*2	60mw/532nm	/	\$ 116,00
F1066C	100mw/650nm*2	80mw/532nm	150mw/450nm	\$ 137,00
F1066B	100mw/650nm*2	80mw/532nm	B150mw/450nm P100mw/450nm	\$ 173,00
F2066	100mw/638nm*2	80mw/532nm*2	100mw/450nm*2	\$ 188,00
F2066A	100mw/638nm*2	80mw/532nm*2	100mw/450nm*2	\$ 200,00











LASER SHOW SYSTEM

#### F6066

Power Supply: AC100-240V 50 / 60Hz Rated power: less than 300W

Power:100W Scanning system: high-precision stepper motor scanning system

Laser Sources: Diode

Control mode: DMX512, master-slave control, auto-run, sound control

Channel mode: 10CHS

Cooling system: forced cooling by fan Dimensions: L1070 \* W200 \* H170mm

Weight: 8 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
F6066	100mw/638nm*3	80mw/532nm*3	120mw/450nm*3	\$ 186,00















#### NF7700 Series

Power Supply: AC100-240V 50 / 60Hz

Power: 40 W

Scanning system: high-precision stepper motor scanning system, large-angle scanning

Control mode: DMX-512, voice control, self-propelled

Channel mode: 10CHS

Cooling system: forced cooling by fan Lamp size: 700 \* 250 \* 180mm

Weight: 4.7KG



Model NO	Power Red	Power Green	Power Blue	Refer Price
F6016	100mw/638nm*3	80mw/532nm*3	120mw/450nm*3	\$ 186,00











## F1666

Power Supply: AC100-240V 50 / 60Hz

Power: 40 W

Scanning system: high-precision stepper motor scanning system, large-angle scanning

Control mode: DMX-512, voice control, self-propelled

Channel mode: 34CHS

Cooling system: forced cooling by fan Lamp size: 345 \* 290 \* 165mm

Weight: 1.8KG



Model NO	Power Red	Power Green	Power Blue	Refer Price
F1666	532nm/80mw	638nm/100mw	450nm/150mw	\$ 129,00





4









# Mini derby light Series

Power Supply: AC100-240V 50/60Hz

Power: 60W

LED light source: 4pcs 3W LED + 20W integrated white beads Bead color: magic ball: red, green, blue, yellow; strobe: white Control mode: DMX512, music, self-walk, master-slave

Channel mode: 9CHS Grating pattern: 16 in1

Dimensions: L215 \* W25 \* H110mm

Weight: 1.6 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
1516	100mw/650nm	60mw/532NM	I	\$ 71,00
Z-3016	100mw/650nm	/	120mw/450NM	\$ 71,00
Z-6016	100mw/650nm	1	500mw/450nm	\$ 101,00













# **Six Eye Laser Series**

Power Supply: AC100-240V 50/60Hz

Power: 20W

Scanning system: high-precision stepper motor scanning system, large-angle scanning Laser pattern: all one-dimensional beam or one-dimensional beam + 16 patterns

Channel mode: 8CHS

Control mode: DMX-512, voice control, auto-run, master-slave

Control interface: international universal DXM512 interface, RJ45 interface

Working environment: indoor (10-40  $^{\circ}\,$  ) Dimensions: L340 \* W220 \* H150mm

Weight: 2 kg





Model NO	Power Red	Power Green	Power Blue	Refer Price
F6033	100mw/650nm*2	60mw/532nm	100nm/450nm	\$ 52,00











#### **FS Series**

Power Supply: AC100-240V 50/60Hz Light source: 4pcs 10W 8in1 LED

Colour:8 Colors Mixed Lens: 3\*5pcs

Strobe:1-20 time/sec. Adjustable strobe speed Control mode: DMX512, music, self-walk

Channel mode: 13CHS

Dimensions: L170 \* W200 \* H130mm

Weight: 1.8 kg

Model NO	Power	Refer Price
N-X051	60W	\$ 47,00









### **F3** Series

Power Supply: AC100-240V 50/60Hz Light source: 2pcs 10WRGBW 4in1 LED

Colour: 4 Colors Mixed

Lens: 3\*5pcs

Strobe:1-20 time/sec. Adjustable strobe speed Control mode: DMX512, music, self-walk

Channel mode: 8CHS

Dimensions: L170 \* W200 \* H130mm

Weight: 1.8 kg

Model NO	Power	Refer Price
F3860-20K	40W	\$ 238,00









#### F808

Power supply: AC90-240V, 50/60HZ

Light source: 8\*12W full color LED American Corey lamp beads

Color: white, full color optional

Control: DMX, master-slave, voice control, automatic mode.

Channel: 10CH/36CH Scanning angle: vertical 180 Luminous angle: 4.5 degrees

Weight: 5.5KG

Lamp body size: length 41CM\*24CM\*16CM

Model NO	Power	Refer Price
F808	150W	\$ 129,00













#### N-X027

Working voltage: AC220V/110V 60HZ/50HZ Four colors: red, green, blue and white

Light source: 2 12W super bright high power LED lamp beads Also available in the United States Cree

imported lamp beads higher brightness, better effect

Luminous angle: 25 degrees

Signal control: 7 international standard DMX512 channel control

Model NO	Power	Refer Price
N-X027	30W	\$ 42,00









# 8 mirror Butterfly

Power Supply: AC100-240V 50/60Hz Light source: 2pcs 10WRGBW 4in1 LED

Led lifetime: 60000H Colour:4 Colors Mixed

Lens: 2\*8pcs

Control mode: DMX512, music, self-walk, RJ45

Channel mode: 8CHS

Dimensions: L250 \* W235 \* H180mm

Weight: 2.3 kg

Model NO	Power	Power Green	
N-X013A	30W	\$ 46,00	









# 8 mirror Butterfly

Voltage: 220V/50HZ Light source: 9\*10W LED Cree

Color: white / RGB

Control: DMX, master-slave, voice control, automatic mode

Dimming: 0-100% Display: digital display

Channel: white 6CH/12CH color 10CH/36CH

Scanning angle: vertical 180 Luminous angle: 4.5 degrees

Weight: 12KG

Model NO	Power	Power Green	
N-X013A	100W	\$ 130,00	













#### Mini 6\*15W Bee Eye

Power Supply: AC100-240V 50/60Hz Light source: 6pcs 15W RGBW 4in1

Strobe speed: 1-30 times per second, adjustable strobe speed Rotation angle: X axis 540 ° horizontally, Y axis 270 ° vertically

Control mode: self-walk mode, music control, master-slave mode, DMX mode

Channel mode: 10/17 channels Net/Gross Weight: 4.3KG/5.3KG Product size: 200\*H310mm

Model NO	Power	Refer Price
N-Y006	6* 15W	\$ 137,00













#### 60W LED MINI Moving Head Light

Power Supply: AC100-240V 50/60Hz

Power consumption: 160W

LED wash light source: 8pcs 9W 3in1 LED Channel mode: 2/12/19 channels

Patterns: one Patterns plate , 6 Patterns + White Light + Rainbow Effect

Color: one color plate, 6 colors + white light + rainbow effect Prism: 3 prism/5 prism/3\*5 double prism superposition

Product size: 200\*H385mm Net/Gross Weight: 5.2KG/6.1KG

Model NO	Power	Refer Price
N-Y060	60W LED+8*9W RGB 3 in 1 LED	\$ 194,00









# 90W LED MINI Moving Head Light

Power Supply: 90-240V 50/60Hz

Light source: 90W high brightness LED lamp beads

Color plate: 7 colors + white color plate
Pattern plate: 7 rotatable patterns + white light
X/y axis motion range: x-axis 540°, y-axis 280°
Control channel: 9/11 channel selectable

Control signal: dmx512 (according to the ustt1900 standard)

Model NO	Power	Refer Price
N-Y009	90W	\$ 212,00













## Mini Led Moving Head Dmx

Power Supply: AC110-220V 50-60Hz Product size: 26cmX16cmX35cm

Lamp Beads: 12X10W Corey Lamp Beads RGBW4 in 1

Control mode: DMX. Voice control. Self-propelled. Master and slave Strobe: high-speed electronic adjustment strobe, random strobe 1-10 times

XY axis angle: X axis 540. Y axis 180 Channel mode: 15\20\47CH

Display screen: digital display frequency

Model NO	Power	Refer Price
N-YL012	120W	\$ 117,00









(laser + beam + strobe) Light source: 3W LED\*16PCS Red laser: 100MW\*2PCS Green Laser: 50MW\*2PCS Strobe: 15W\*4PCS

Self-propelled, voice control, DMX512, master-slave

Net weight: 4.5KG

Model NO	Power	Refer Price	
N-YI 016	120W	\$ 129.00	









#### **Rotation Football Light**

Lamp Beads: 12X10W Corey Lamp Beads RGBW4 in 1

Control mode: DMX. Voice control. Self-propelled. Master and slave

Appearance material: engineering plastic

Net weight: 4.5KG

Strobe: high-speed electronic adjustment strobe, random strobe 1-10 times\sec

XY axis angle: X axis 540. Y axis 180 Channel mode: 15\20\47CH

Display screen: digital display frequency

Model NO	Power	Refer Price	
N-DB012	120W	\$ 147,00	















