



# NewFeelling

## Laser Light



### F5500 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 900W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L518 \* W382 \* H288mm  
 Weight: 35 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
F5500-945-25k	12000mw/638nm	15000mw/525nm	18000nw/450nm	\$ 17910,00
F5500-940-25k	11000mw/635nm	13000mw/532nm	16000nw/447nm	\$ 23800,00
F5500-930-25k	8000mw/635nm	10000mw/532nm	12000nw/450nm	\$ 17910,00
F5500-720A-30k /		20W/532nm	/	\$ 32835,00



### F4500 Series

Power Supply: 90 V - 240 V / AC  
 Rated power less than 600W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L518 \* W382 \* H288mm  
 Weight: 35 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
F4500-932-40K	12000mw/638nm	15000mw/525nm	18000nw/450nm	\$ 9552,00
F4500-928-40K	8000mw/638nm	8000mw/525nm	12000nw/450nm	\$ 8059,00
F4500-925-40K	7000mw/638nm	7000mw/525nm	11000nw/450nm	\$ 7462,00
F4500-920-40K	6000mw/638nm	6000mw/525nm	8000nw/450nm	\$ 6865,00
F4500-918-40K	5000mw/638nm	4000mw/525nm	9000nw/450nm	\$ 5671,00
F4500-915-40K	4000mw/638nm	4000mw/525nm	7000nw/450nm	\$ 4625,00
F4500-715A-30K /		15W/532nm CNI	/	\$ 14328,00
F4500-715-30K /		15W/525nm	/	\$ 8656,00
F4500-690A-30K /		10W/532nm	/	\$ 8059,00





### F2550 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 500W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L360 \* W270 \* H290mm  
 Weight: 35 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
F2550-915-30K	4000mw/638nm	4000mw/525nm	7000nw/450nm	\$ 4477,00
F2550-908-30K	2000mw/638nm	2000mw/525nm	4000nw/450nm	\$ 2388,00
F2550-690-30K	/	10W/525nm	/	\$ 4925,00
F2500-685-30k	/	5W/525nm	/	\$ 3283,00



### NF880 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 300W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L370 \* W260 \* H230mm  
 Weight: 11 kg

Model NO	Power Red	Power Green	Power Blue	Refer Price
NF880-910-30K	3000mw/638nm	3000mw/525nm	4000nw/450nm	\$ 2537,00
NF880-908-30K	2000mw/638nm	2000mw/525nm	4000nw/450nm	\$ 2029,00



### NF7700 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 300W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L300 \* W260 \* H220mm  
 Weight: 11 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
NF770-906S-25k	R1600mw/638nm	G2000mw/525nm	B2200nw/450nm	\$ 1343,00
NF770-685-25k	/	5W/525nm	/	\$ 2835,00
NF770-684-25k	/	4W/525nm	/	\$ 2388,00
NF770-683-25k	/	3W/520nm	/	\$ 1492,00



### F6600 Series

Power Supply: 90 V - 240 V / AC  
 Rated power: less than 200W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L280 \* W240 \* H190mm  
 Weight: 11 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
NF-905-30K	1000mw/520nm	1200mw/638nm	3000nw/450nm	\$ 1014,00
NF-904-30K	1000mw/638nm	1000mw/520nm	2000nw/450nm	\$ 924,00
NF-903-30K	600mw/638nm	800mw/520nm	1500nw/450nm	\$ 597,00
NF660-681-30K	/	1000mw/520nm	/	\$ 417,00



### M Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 100W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L138 \* W230 \* H126mm  
 Weight: 3.4 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
M-5000A-15K	1200mw/638nm	1000mw/520nm	3000nm/450nm	\$ 835,00
M-3000A-15K	600mw/638nm	800mw/520nm	1500nw/450nm	\$ 417,00
M-1000A-15K	300mw/638nm	100mw/532nm	600nw/450nm	\$ 298,00
M-800-15K	150mw/638nm	80mw/515nm	600nw/450nm	\$ 214,00



### F2 Series

Power Supply: AC100-240V 50 / 60Hz  
 Rated power less than 100W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L200 \* W152 \* H110mm  
 Weight: 2.5 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
F2730	150mw/650nm	60mw/515nm	100nm/450nm	\$ 128,00
F2750	100mw/638nm	80mw/520nm	150nm/450nm	\$ 137,00
F2780	100mw/638nm	80mw/532nm	600nm/450nm	\$ 161,00
F2800	100mw/638nm	80mw/532nm	600nm/450nm	\$ 179,00
F2606	/	60mw/520nm	/	\$ 116,00
F2612	/	120mw/520nm	/	\$ 146,00
F2301	/	/	100mw/450nm	\$ 110,00
F2304	/	/	400mw/450nm	\$ 131,00
F2315	/	/	1500mw/450nm	\$ 149,00





### FS Series

Power Supply: AC100-240V 50 / 60Hz  
 Rated power: less than 100W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L300 \* W210 \* H70mm  
 Weight: 2 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
FS860-20K	500mw/638nm	130mw/520nm	1000nm/450nm	\$ 298,00
FS780-20K	100mw/638nm	80mw/520nm	150nm/450nm	\$ 217,00
FS606	/	60mw/515nm	/	\$ 170,00
FS610	/	130mw/532nm	/	\$ 208,00
FS301	/	/	100mw/450nm	\$ 170,00
FS310	/	/	1000mw/450nm	\$ 197,00
FS330	/	/	3000mw/450nm	\$ 358,00



### F3 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 100W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L300 \* W210 \* H70mm  
 Weight: 2 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
F3860-20K	500mw/638nm	130mw/520nm	1000nm/450nm	\$ 238,00
F3800-20K	300mw/638nm	80mw/520nm	1000nm/450nm	\$ 194,00
F3780-20K	100mw/638nm	80mw/520nm	600nm/450nm	\$ 179,00
F3750-20K	100mw/638nm	80mw/520nm	150nm/450nm	\$ 155,00




## F8 Series

Power Supply: AC90-240, 50-60HZ  
 Rated power: less than 100W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA / DMX512 / self-propelled / voice control / master / slave / SD  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, **interlock connector**  
 Dimensions: L241 \* W170 \* H273mm  
 Weight: 5 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
NF-905A-15k	1000mw/520nm	1200mw/638nm	3000nw/450nm	\$ 716,00
NF-904A-15k	1000mw/638nm	1000mw/520nm	2000nw/450nm	\$ 432,00
NF-903A-15k	500mw/638nm	800mw/520nm	1500nw/450nm	\$ 328,00
NF-902A-15k	500mw/638nm	400mw/520nm	1000nw/450nm	\$ 283,00





## F6 Stepper Motor Series

Power Supply: 90 V - 240 V / AC  
 Rated power: less than 300W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector  
 Dimensions: L1000 \* W220 \* H270mm  
 Weight: 19 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
F6-808-20K	150mw/638nm	80mw/515nm	600nw/450nm	\$ 1671,00
F6-901-20K	300mw/638nm	130mw/520nm	6000nw/450nm	\$ 1880,00
F6-902-20K	500mw/638nm	500mw/520nm	1000nw/450nm	\$ 2388,00
F6-903-20K	500mw/638nm	800mw/520nm	1500nw/450nm	\$ 2626,00



## T8 Series

Power Supply: AC100-240V 50/60Hz  
 Rated power: 120W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.8 mrad  
 Laser Sources: Diode  
 Operation Modes: DMX512 / self-propelled / voice control / master / slave  
 Scanner: High speed step motor  
 Channel modes: 7CH/10CH/16CH  
 Tilt Angle: 180 degrees vertical  
 Accessories: power cable, manual, key  
 Dimensions: L1100 \* W70 \* H130mm  
 Weight: 8 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
TR1610	100mw	/	/	\$ 223,00
TR1650	500mw	/	/	\$ 283,00
TG1609	/	G90mw/505nm	/	\$ 262,00
TB1650	/	/	B500mw/450nm	\$ 462,00



## T16 Series

Power Supply: AC100-240V 50/60Hz  
 Rated power: 120W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.8 mrad  
 Laser Sources: Diode  
 Operation Modes: DMX512 / self-propelled / voice control / master / slave  
 Scanner: High speed step motor  
 Channel modes: 7CHS/9CHS/18CHS/24CHS  
 Tilt Angle: 180 degrees vertical  
 Accessories: power cable, manual, key  
 Dimensions: L1100 \* W70 \* H130mm  
 Weight: 8 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
TR1610	100mw	/	/	\$ 298,00
TR1650	500mw	/	/	\$ 358,00
TG1609	/	G90mw/505nm	/	\$ 343,00
TB1650	/	/	B500mw/450nm	\$ 537,00





### Z6 Series

Power Supply: AC100-240V 50/60Hz  
 Rated power: 150W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.8 mrad  
 Laser Sources: Diode  
 Operation Modes: DMX512 / self-propelled / voice control / master / slave  
 Scanner: High speed step motor  
 Channel modes: 22CHS/24CHS  
 Tilt Angle: 180 degrees vertical  
 Laser wavelength: 638nm/520nm/450nm  
 Laser power: 300-2000mw \*6PCS)  
 Accessories: power cable, manual, key  
 Dimensions: L1100 \* W70 \* H130mm  
 Weight: 8 kg



Model NO	Power Red	Power Green	Power Blue	Refer Price
ZR610	100mw	/	/	\$ 373,00
ZR650	500mw	/	/	\$ 417,00
ZG609	/	90mw/505nm	/	\$ 402,00
ZB650	/	/	500mw/450nm	\$ 552,00
ZW630	300mw	300mw	300mw	\$ 746,00
ZW6100	1000mw	1000mw	1000mw	\$ 1104,00
ZW6200	2000mw	2000mw	2000mw	\$ 1940,00



### HW Series Landmark laser

Power Supply: AC100-240V 50 / 60Hz  
 Rated power: <1500W  
 Beam Specifications (full angle): ca. 0.5 mm / < 1.5 mrad  
 Laser Sources: Diode  
 Operation Modes: ILDA, DMX, LAN, ArtNet, integrated SD card, stand-alone, master-slave  
 Scanner: **15kpps / 25kpps/30kpps/40kpps**  
 Scan Angle max.: max. 60°  
 Accessories: power cable, manual, key, interlock connector



Model NO	Power Red	Power Green	Power Blue	Refer Price
HW-RGB100A	30W/635nm	30W/532nm	40W/450nm	\$ 59710,00
HW-RGB80A	30W/635nm	20W/532nm	30W/450nm	\$ 41194,00
HW-RGB50A	15W/635nm	15W/532nm	20W/450nm	\$ 34328,00
HW-960A	/	60W/532NM	/	\$ 62686,00
HW-930	/	30W/525nm	/	\$ 17910,00
HW-910	/	10W/525NM	/	\$ 7164,00



## Pangolin

- Quick Text – Easily create laser text in seconds
- Quick DMX – Control QuickShow with DMX
- Quick Shape – Design beam and abstract effects
- Quick Timeline – Create timeline shows with music
- Quick Trace – Make laser logos fast
- Quick Capture – Combine laser images easily
- Quick Targets – Created fun target beam sequences
- Quick FX – Stunning laser effects, applied instantly

## QuickShow



## Pangolin FB4 Internal



## Pangolin FB4 External

