



YH71系列平开门

Structure for YH71 series of side-hung door




WxH=900X2100

铝材用量7.8kg/m²(仅供参考)




YH71 系列平开门

Structure for YH71 series of side-hung door























WxH=1800X2100
铝材用量6.5kg/m²(仅供参考)




说明: 部分*标识产品暂无模具, 如有需要请与我司联系, 敬请知悉!

YH71系列型材目录




门框		门光企		门中横		门框	
GY-YH7101		GY-YH7106A		GY-YH7105		GY-YH7131	
T=2.0mm		T=2.0mm		T=2.0mm		T=2.0mm	
0.944kg/m		1.271kg/m		1.395kg/m		1.381kg/m	
门框		门光企		门中横		门光企	
GY-YH7103		GY-YH7106B		GY-YH7105A		GY-YH7116B	
T=2.0mm		T=2.0mm		T=2.0mm		T=2.0mm	
0.851kg/m		1.382kg/m		1.161kg/m		1.070kg/m	
门框		门搭接扇		扇中横			
GY-YH7111		GY-YH7107		GY-YH7115			
T=2.0mm		T=2.0mm		T=2.0mm			
1.246kg/m		1.121kg/m		1.674kg/m			
门中挺		门搭接扇					
GY-YH7121		GY-YH7108					
T=2.0mm		T=2.0mm					
1.463kg/m		1.427kg/m					
门槛料		门上下方		压线			
GY-YH7102		GY-YH7114		GY-YH7122			
T=2.0mm		T=2.0mm		T=1.1mm			
0.686kg/m		1.299kg/m		0.186kg/m			
门上下方		门光企		拼条			
GY-YH7104		GY-YH7116		GY-50876			
T=2.0mm		T=2.0mm		-	适用于门连窗方案，配套窗框GY-50801以及GY-YH7103边框使用		
1.394kg/m		1.362kg/m		0.52kg/m			
门光企		门搭接扇		U槽			
GY-YH7106		GY-YH7117		GY-12x12			
T=2.0mm		T=2.0mm		T=1.0mm	与GY-YH7121配合应用于门顶部固定窗的设计方案使用		
0.941kg/m		1.512kg/m		0.092kg/m			

A70 系列平开门结构图

Structure for A70 series of side-hung door



W × H = 1800 × 2100
铝材用量为 7.0kg/m² (仅供参考)




说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

A70系列型材目录

门框		门搭接扇		门框			
GY-A7001		GY-A7007		GY-A7001G			
T=2.0mm		T=2.0mm		T=2.0mm			
0.917kg/m		1.603kg/m		0.949kg/m			
门框		单玻转换槽		门框			
GY-A7003		A7012		GY-A7011J			
T=2.0mm		T=1.0mm		T=2.0mm			
0.883kg/m		0.197kg/m		1.295kg/m			
门框		拼条		中挺			
GY-A7011		GY-50876		GY-A7013			
T=2.0mm		T=2.0mm	适用于门连窗方案，配套窗框GY-50801以及A7003边框使用	T=2.0mm			
1.271kg/m		0.52kg/m		1.344kg/m			
门槛料				24槽压线			
GY-A7002				A7014			
T=2.0mm				T=1.2mm			
0.798kg/m				0.106kg/m			
门上下方				12槽压线			
GY-A7004				A7015			
T=2.0mm				T=1.0mm			
1.478kg/m				0.143kg/m			
门中横							
GY-A7005							
T=2.0mm							
1.61kg/m							
光企							
GY-A7006							
T=2.0mm							
1.462kg/m							



70M 系列平开门结构图

Structure for 70M series of side-hung door






















W×H=1800X2100

铝材用量为4.7kg/m² (仅供参考)




说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！



70M系列型材目录						
门框		门中挺		门光企		
GY-70M03		GY-70M09		GY-70M07		
T=1.2mm 0.791kg/m		T=1.2mm 0.982kg/m		T=1.2mm 0.672kg/m		
T=1.4mm 0.911kg/m		T=1.4mm 1.11kg/m		T=1.4mm 0.788kg/m		
门框		门中挺		门搭接扇		
GY-70M03A		GY-70M19		GY-70M06A		
T=1.2mm 0.897kg/m		T=1.2mm		T=1.2mm 0.846kg/m		
T=1.4mm 1.024kg/m		1.038kg/m		T=1.4mm 0.95kg/m		
门框		门中挺		门上下方		
GY-70M03B		GY-70M09A		GY-70M04Z		
T=1.1mm		T=1.2mm		T=1.4mm		
0.961kg/m		0.975kg/m		0.824kg/m		
门框		门中挺		门光企		
GY-70M03D		GY-70M09D		GY-70M07Z		
T=1.4mm		T=1.4mm		T=1.4mm		
1.201kg/m		1.324kg/m		0.818kg/m		
门框		门上下方		合页		
GY-70M10		GY-70M04		GY-70M08		
T=1.2mm		T=1.2mm 0.745kg/m		T=2.0mm		
0.687kg/m		T=1.4mm 0.848kg/m		1.479kg/m		
门框		门上下方		压线	 (配19mm玻璃)	
GY-70M13		GY-70M05B		GY-70M14		
T=1.1mm		T=1.1mm		T=2.0mm		
0.831kg/m		0.869kg/m		0.083kg/m		
门框		门中横				
GY-70M10A		GY-70M05				
T=1.2mm		T=1.4mm				
0.710kg/m		1.128kg/m				

AM70 系列平开门结构图

Structure for AM70 series of side-hung door











W × H=1800X2100
铝材用量为5.1kg/m²(仅供参考)




说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

AM70 系列型材目录




门框		门中横			
AM7001		AM7002			
T=1.2mm 0.802kg/m					
T=1.5mm 0.96kg/m					
门框		T=1.5mm			
AM7001A		1.5kg/m			
T=1.5mm					
0.905kg/m					
门框					
AM7004					
T=1.5mm 0.73kg/m					
T=2.0mm 0.904kg/m					
门上下方					
AM7003					
T=1.5mm					
1.08kg/m					
门光企					
AM7005					
T=1.2mm 0.589kg/m					
T=2.0mm 0.914kg/m					
门搭接扇					
YH7107					
T=2.0mm					
1.121kg/m					
门中挺					
AM7006					
T=1.5mm					
1.126kg/m					

MF70系列平开门结构图

Profiles for MF70 series of casement door



W × H = 900 × 2100
铝材用量为 6.3kg/m² (仅供参考)



说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！



MF70 系列型材目录

门框料 GY-MF7001 T=1.0mm 0.672kg/m		门扇 GY-MF7004 T=1.0mm 0.544kg/m		玻璃槽 GY-MF7006B T=0.6mm 0.228kg/m		
门框料 GY-MF7001A T=1.2mm 0.855kg/m		门中横 GY-MF7002B T=1.0mm 0.552kg/m		扣板 GY-MF7007 T=0.8mm 0.202kg/m		
门框料 GY-MF7001C T=1.1mm 0.9kg/m		门扇 GY-MF7003A T=1.1mm 0.914kg/m				
门扇 GY-MF7002 T=1.0mm 0.769kg/m						
门扇 GY-MF7004A T=1.0mm 0.695kg/m		门扇 GY-MF7005 T=1.0mm 0.167kg/m				
门扇 GY-MF7003B T=1.0mm 0.702kg/m		玻璃槽 GY-MF7006 T=0.8mm 0.191kg/m				
门扇 GY-MF7003 T=1.0mm 0.571kg/m		玻璃槽 GY-MF7006A T=0.8mm 0.216kg/m				