






908 系列推拉门结构图

Structure for 908 series of sliding door




WxH=1800X2400(2000+400上亮)
铝材用量8.7kg/m²(仅供参考)







说明: 部分*标识产品暂无模具, 如有需要请与我司联系, 敬请知悉!

908 系列推拉门结构图

Structure for 908 series of sliding door




WxH=1800X2400(2000+400上亮)
铝材用量8.3kg/m²(仅供参考)







908 系列推拉门结构图

Structure for 908 series of sliding door




WxH=1800X2400(2000+400上亮)
铝材用量8.6kg/m²(仅供参考)







说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

908 系列推拉门结构图


Structure for 908 series of sliding door






WxH=1800X2400(2000+400上亮)
铝材用量8.8kg/m²(仅供参考)



Structure for 908 series of sliding door



WxH=3200X2400(2000+400上亮)
铝材用量4.6kg/m²(仅供参考)






























说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

908 系列型材目录




















上滑		下滑		固定边封		下方	
GY-90801		GY-90802C		GY-90803K		GY-90805E	
T=2.0mm		T=2.0mm		T=2.0mm		T=2.0mm	
1.31kg/m		1.475kg/m		1.952kg/m		0.815kg/m	
上滑		下滑		边封		高下方	
GY-90801C		GY-90802D		GY-90803		GY-90815E	
T=1.8mm		T=2.0mm		T=2.0mm		T=1.8mm	
1.169kg/m		0.994kg/m		0.984kg/m		1.029kg/m	
T=2.0mm							
1.267kg/m							
固上滑		下滑		上方		下方	
GY-90801B		GY-90802DZ		GY-90804B		GY-90805C	
T=1.8mm		T=2.0mm		T=2.0mm		T=2.0mm	
1.891kg/m		1.179kg/m		0.881kg/m		0.866kg/m	
固上滑		下滑		下方		高下方	
GY-90801F		GY-90802M		GY-90805B		GY-90805D	
T=1.8mm		T=2.0mm		T=2.0mm		T=1.8mm	
1.887kg/m		1.41kg/m		1.022kg/m		1.081kg/m	
下滑		固下滑		下方		光企	
GY-90802		GY-90802H		90805K		GY-90806B	
T=2.0mm		T=1.8mm		T=2.0mm		T=2.0mm	
1.579kg/m		1.371kg/m		0.976kg/m		1.153kg/m	
下滑		固下滑		高下方		光企	
GY-90802A		GY-90803M		GY-90815B		GY-90806AC	
T=2.0mm		T=1.8mm		T=2.0mm		T=2.0mm	
1.663kg/m		1.333kg/m		1.26kg/m		1.716kg/m	
下滑		上固定		上方		勾企	
GY-90802B		GY-90810B		GY-90804C		GY-90807B	
T=2.0mm		T=1.8mm		T=1.8mm		T=2.0mm	
1.29kg/m		0.891kg/m		0.733kg/m		1.095kg/m	

908 系列型材目录

勾企 GY-90807AC T=2.0mm 1.658kg/m 	勾企 GY-90807C T=1.8mm 0.911kg/m 	收口 GY-90808 T=1.4mm 0.331kg/m 	上滑 GY-90801H T=2.0mm 1.487kg/m 
勾企 GY-90807K T=2.0mm 1.481kg/m 	光企 GY-90826C T=1.7mm 1.075kg/m 	收口 GY-90809 T=1.3mm 0.307kg/m 	固上滑 GY-90801K T=2.0mm 2.227kg/m 
光企 GY-90826A T=1.8mm 1.157kg/m 	勾企 GY-90827C T=1.7mm 1.161kg/m 	压线 GY-90812B T=1.0mm 0.169kg/m 	下滑 GY-90802K T=2.0mm 1.929kg/m 
光企 GY-90826B T=1.7mm 1.641kg/m 	勾企 GY-90827D T=1.7mm 1.645kg/m 	压线 GY-90813B T=1.0mm 0.141kg/m 	上方 GY-90804F T=2.0mm 0.778kg/m 
勾企 GY-90827A T=1.7mm 1.242kg/m 	勾企 GY-90817 T=2.0mm 1.48kg/m 	压线 GY-AY38204 T=1.0mm 0.14kg/m 	下方 GY-90805F T=2.0mm 0.917kg/m 
勾企 GY-90827B T=1.7mm 1.727kg/m 	中挺 GY-90808B T=1.8mm 1.41kg/m 	压线 GY-AY38224 T=0.9mm 0.117kg/m 	光企 GY-90806F T=2.0mm 1.020kg/m 
光企 GY-90806C T=1.9mm 1.007kg/m 	边封插板 GY-90811B T=1.4mm 0.544kg/m 	压线 GY-28220H T=0.8mm 0.103kg/m 	勾企 GY-90807F T=2.0mm 0.961kg/m 


说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

908 系列型材目录




上滑		边封		上滑	
GY-90801G		GY-90803B		90811GA	
T=1.8mm 1.317kg/m		T=2.0mm		T=2.0mm	
T=2.0mm 1.416kg/m		1.1kg/m		1.166kg/m	
固上滑		中挺		下滑	
GY-90811G		GY-90808G		GY-90802GBA	
T=1.8mm		T=1.8mm		T=2.0mm	
2.011kg/m		1.355kg/m		1.037kg/m	
下滑		边封插板		下滑	
GY-90802G		GY-90821G		GY-90802GA	
T=1.8mm 1.257kg/m		T=1.2mm		T=2.0mm	
T=2.0mm 1.354kg/m		0.422kg/m		1.002kg/m	
下滑		勾企		下滑	
GY-90802GC		GY-90807H		GY-90802GB	
T=2.0mm		T=1.8mm 1.044kg/m		T=2.0mm	
1.239kg/m		T=2.0mm 1.130kg/m		0.925kg/m	
下滑		勾企		加强光企	
GY-90812G		GY-90807HB		GY-90826D	
T=1.8mm		T=2.0mm		T=1.7mm	
1.301kg/m		1.243kg/m		1.56kg/m	
上固定		压座		加强光企	
GY-90810G		GY-90814G		90826E	
T=1.8mm		T=1.2mm		T=1.9mm	
0.912kg/m		0.227kg/m		1.49kg/m	
上固定				收口压线	
GY-90803G				90812BA	
T=1.8mm 0.87kg/m				T=1.0mm	
T=2.0mm 0.959kg/m				0.231kg/m	

867 系列推拉窗结构图

Structure for 867 series of sliding windows




W × H = 1800 × 1500 (1200 + 300 上亮)
铝材用量 4.3 kg/m² (仅供参考)






说明: 部分*标识产品暂无模具, 如有需要请与我司联系, 敬请知悉!

867 系列推拉窗结构图





























Structure for 867 series of sliding windows



W×H=1800X1500(1200+300上亮)
铝材用量4.0kg/m²(仅供参考)



867 系列型材目录

固上滑		固下滑		上固定		下方	
GY-86701		GY-86702H		GY-86713		GY-86725	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.957kg/m		0.963kg/m		0.505kg/m		0.564kg/m	
上滑		边封		上固定		光企	
GY-86712		GY-86703		GY-86714		GY-86726D	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.657kg/m		0.931kg/m		0.557kg/m		0.447kg/m	
固下滑		边封		上固定		光企	
GY-86702		GY-86703A		GY-86733		GY-86706	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.852kg/m		0.620kg/m		0.476kg/m		0.489kg/m	
三轨下滑		边封		盖板		光企	
GY-86702A		GY-86703M		GY-87X13		GY-86726	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.604kg/m		0.688kg/m		0.356kg/m		0.554kg/m	
三轨下滑		中挺		上方		勾企	
GY-86702B		GY-86708		GY-86724D		GY-86727	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.806kg/m		0.779kg/m		0.438kg/m		0.507kg/m	
三轨下滑		上固定		下方		勾企	
GY-86702D		GY-86710		GY-86725D		GY-86727A	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.959kg/m		0.685kg/m		0.560kg/m		0.539kg/m	
三轨下滑		边封插板		上方		勾企	
GY-86702E		GY-86711		GY-86724		GY-86707	
T=1.2mm		T=1.2mm		T=1.2mm		T=1.2mm	
0.528kg/m		0.353kg/m		0.476kg/m		0.525kg/m	

说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！