














867 系列型材目录

上方		光企					
GY-86704		GY-86716					
T=1.2mm		T=1.2mm					
0.477kg/m		0.381kg/m					
下方							
GY-86705							
T=1.2mm							
0.539kg/m							
勾企							
GY-86707B							
T=1.2mm							
0.522kg/m							
上方							
GY-86704A							
T=1.2mm							
0.501kg/m							
收口光企							
GY-86709							
T=1.2mm							
0.513kg/m							
收口光企							
GY-86729							
T=1.2mm							
0.557kg/m							
勾企							
GY-86717							
T=1.2mm							
0.409kg/m							

D878 系列推拉窗结构图






Structure for D878 series of sliding windows





























说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

D878 系列推拉窗结构图


















Structure for D878 series of sliding windows



D878 系列型材目录							
固上滑		固下滑		固下滑		边封	
D87801		D87802AB		D87802J		D87803	
T=1.0 mm 0.985kg/m		T=0.8 mm		T=1.0 mm 1.070kg/m		T=1.0 mm 0.474kg/m	
T=1.2 mm 1.166kg/m		0.813kg/m		T=1.2 mm 1.245kg/m		T=1.2 mm 0.558kg/m	
上滑		下滑		下滑		边封	
D87801A		D87802AK		D87802K		D87803B	
T=1.0 mm		T=1.1 mm		T=1.1 mm		T=1.2 mm 0.820kg/m	
0.740kg/m		1.284kg/m		1.256kg/m		T=0.8 mm 0.683kg/m	
固上滑		下滑		下滑		边封	
D87801B		D87802C		D87802M		D87803C	
T=0.85 mm		T=0.8 mm		T=1.2 mm		T=1.2 mm	
0.843kg/m		0.525kg/m		0.967kg/m		0.620kg/m	
固上滑		固下滑		下滑		边封	
D87801D		D87802D		D87802P		D87803D	
T=1.15 mm		T=1.0 mm		T=1.0 mm		T=1.2 mm	
1.261kg/m		0.950kg/m		0.636kg/m		0.557kg/m	
固上滑		固下滑		下滑		边封	
D87801E		D87802E		D87802Q		D87803P	
T=0.9 mm		T=1.0 mm		T=1.0 mm		T=1.0 mm	
0.943kg/m		1.010kg/m		0.591kg/m		0.748kg/m	
下滑		固下滑		下滑		双边封	
D87802		D87802F		D87802W		D87803E	
T=1.0 mm 0.610kg/m		T=1.2 mm		T=1.0 mm		T=1.2 mm	
T=0.8 mm 0.481kg/m		1.212kg/m		1.150kg/m		0.976kg/m	
下滑		下滑		下滑		上固	
D87802A		D87802H		D87812		D87809	
T=1.0 mm		T=1.0 mm		T=1.0 mm 0.558kg/m		T=1.0 mm 0.507kg/m	
0.577kg/m		0.767kg/m		T=1.2 mm 0.648kg/m		T=1.2 mm 0.594kg/m	


说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

D878 系列型材目录

盖板		高下方		转角	
D87810A		20810H		D87813A	
T=1.1 mm		T=1.2mm			
0.376kg/m		0.612kg/m			
中柱		光企		1.208kg/m	
D87820		20807E		T=1.1 mm	
T=1.0 mm		T=1.2mm			
0.733kg/m		0.608kg/m			
上下方		勾企		下滑	
75804B		20808E		D87802HB	
T=1.0 mm		T=1.2mm		T=1.2 mm	
0.43kg/m		0.583kg/m		1.055kg/m	
光企		纱窗		下滑	
75806B		D87814		D87802HC	
T=1.0 mm		T=0.8 mm		T=0.8 mm	
0.507kg/m		0.333kg/m		0.786kg/m	
勾企		纱窗		下滑	
75807K		D87814A		D87802Z	
T=1.0 mm		T=0.8 mm		T=1.2 mm	
0.506kg/m		0.324kg/m		0.489kg/m	
上方		纱窗收口			
20809E		D87808A			
T=1.2mm		T=1.0 mm			
0.501kg/m		0.113kg/m			
下方					
20809C					
T=1.2mm					
0.532kg/m					


2001C 系列推拉窗结构图

Structure for 2001C series of sliding windows






2001C 系列推拉窗结构图

Structure for 2001C series of sliding windows




W×H=1500X1500(1200+300上亮)
铝材用量6.0kg/m²(仅供参考)







2001C 系列推拉门结构图

Structure for 2001C series of sliding door






















W × H=1500X2400(2000+400上亮)
铝材用量7.4kg/m²(仅供参考)



说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

2001C系列型材目录


上滑		边封		勾企		上固定	
GY-2001C-01		GY-2001C-03		GY-2001C-07E		GY-2001C-12A	
T=1.20mm 0.879kg/m		T=1.2mm 0.593kg/m		T=1.0mm		T=1.2mm	
T=1.4mm 0.964kg/m		T=1.4mm 0.745kg/m		0.591kg/m		0.428kg/m	
上滑		双边封		上方		边封插板	
GY-2001C-01A		GY-2001C-03F		GY-2001C-04F		GY-2001C-12B	
T=1.4mm		T=1.2mm		T=1.4mm		T=1.0mm	
1.007kg/m		1.015kg/m		0.617kg/m		0.33kg/m	
上滑		上方		光企		上固定	
GY-2001C-11A		GY-2001C-04		GY-2001C-06F		GY-2001C-13	
T=1.1mm 1.283kg/m		T=1.2mm 0.687kg/m		T=1.4mm		T=1.2mm 0.658kg/m	
T=1.4mm 1.412kg/m		T=1.4mm 0.735kg/m		0.851kg/m		T=1.4mm 0.706kg/m	
固上滑		上方		勾企		上固定	
GY-2001C-11		GY-2001C-04E		GY-2001C-07F		GY-2001C-13A	
T=1.2mm 1.358kg/m		T=1.0mm		T=1.4mm		T=1.2mm 0.667kg/m	
T=1.4mm 1.474kg/m		0.572kg/m		0.783kg/m		T=1.9mm 1.014kg/m	
下滑		光企		中挺		固上滑	
GY-2001C-02		GY-2001C-06		GY-2001C-09		GY-2001C-11M	
T=1.2mm		T=1.2mm 0.768kg/m		T=1.2mm 0.961kg/m		T=2.0mm	
1.242kg/m		T=1.4mm 0.839kg/m		T=1.4mm 1.016kg/m		2.052kg/m	
下滑		光企		中挺		下滑	
GY-2001C-02A		GY-2001C-06E		GY-2001C-09A		GY-2001C-02E	
T=1.2mm 1.206kg/m		T=1.0mm		T=1.2mm		T=1.2mm 0.797kg/m	
T=1.4mm 1.305kg/m		0.662kg/m		0.866kg/m		T=1.4mm 0.896kg/m	
下滑		勾企		拼管		下滑	
GY-2001C-02M		GY-2001C-07		GY-2001C-09B		GY-2001C-02MA	
T=1.2mm		T=1.2mm 0.707kg/m		T=1.2mm		T=2.0mm	
0.941kg/m		T=1.4mm 0.776kg/m		0.757kg/m		1.121kg/m	

2001C系列型材目录						
下滑		边封插板		收口		
GY-2001C-02MB		GY-2001C-38		GY-2001C-16		
T=2.0mm		T=1.0mm		T=0.8mm		
1.39kg/m		0.31kg/m		0.144kg/m		
边封		压线		收口		
GY-2001C-03M		GY-2001C-21		GY-2001C-15M		
T=2.0mm		T=0.6mm		T=1.4mm		
1.121kg/m		0.082kg/m		0.328kg/m		
上方		压线		90度转角		
GY-2001C-04M		GY-2001C-21A		2001C-19		
T=2.0mm		T=1.0mm		T=1.25mm		
1.022kg/m		0.133kg/m		1.193kg/m		
光企						
GY-2001C-06M		GY-2001C-17				
T=2.0mm		T=1.0mm				
1.238kg/m		0.304kg/m				
勾企		纱窗		135度转角		
GY-2001C-07M		GY-2001C-18		GY-2001C-20		
T=2.0mm		T=0.9mm		T=1.1mm		
1.056kg/m		0.311kg/m		1.052kg/m		
边封插板		纱窗				
GY-2001C-12		GY-SC03				
T=1.2mm		T=0.7mm				
0.554kg/m		0.2kg/m				
上固定		收口		下滑		
GY-2001C-13M		GY-2001C-15		2001C-02MC		
T=2.0mm		T=1.25mm		T=1.4mm		
0.979kg/m		0.296kg/m		0.932kg/m		




说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！














95 系列推拉窗结构图

Structure for 95 series of sliding windows



W×H=1800X1500(1500+300上亮)
铝材用量6.1kg/m²(仅供参考)



95系列型材目录							
固上滑		上方					
GY-9501		GY-9504					
T=1.2mm		T=1.2mm					
1.217kg/m		0.605kg/m					
三轨下滑		下方					
GY-9502		GY-9505					
T=1.2mm		T=1.2mm					
1.128kg/m		0.594kg/m					
三轨下滑		光企					
GY-9512		GY-9506					
T=1.2mm		T=1.2mm					
1.032kg/m		0.534kg/m					
三轨下滑		光企					
GY-9502A		GY-9508					
T=1.2mm		T=1.2mm					
1.111kg/m		0.557kg/m					
上固定		勾企					
GY-9509		GY-9507					
T=1.2mm		T=1.2mm					
0.889kg/m		0.596kg/m					
边封		边封插板					
GY-9503		GY-9511					
T=1.2mm		T=1.2mm					
1.062kg/m		0.389kg/m					
中挺							
GY-9510							
T=1.2mm							
0.851kg/m							

说明：部分*标识产品暂无模具，如有需要请与我司联系，敬请知悉！