



### 收口 系列型材目录

AA89808 T=1.0mm 0.116kg/m		GY-84300K T=1.0mm 0.117kg/m		SC6505 T=0.8mm 0.127kg/m		GY8315A T=1.0mm 0.193kg/m	
YB8308 T=1.0mm 0.12kg/m		FMJ778T24 T=1.0mm 0.103kg/m		SC9015 T=1.2mm 0.171kg/m		D8108 T=0mm 0.163kg/m	
SC9015A T=1.2mm 0.119kg/m		GC8015 T=1.0mm 0.127kg/m		TLA9008 T=1.1mm 0.159kg/m		GY-81808 T=1.0mm 0.193kg/m	
GY-82822 T=1.0mm 0.169kg/m		HS005 T=1.5mm 0.336kg/m		GY-99008B T=1.2mm 0.184kg/m		GY8315 T=1.0mm 0.144kg/m	
D87808A T=1.0mm 0.113kg/m		GY-SC018 T=1.0mm 0.124kg/m		GY-99008 T=1.2mm 0.182kg/m		GY-74808 T=0.8mm 0.096kg/m	
K89815A T=1.1mm 0.137kg/m		20328 T=0.8mm 0.108kg/m		GY-81612 T=1.1mm 0.181kg/m		GY7016 T=1.5mm 0.272kg/m	
A7919 T=0.8mm 0.072kg/m		GSH79819 T=1.0mm 0.163kg/m		YM8008 T=1.0mm 0.166kg/m		HYC8020X T=1.4mm 0.203kg/m	



### 收口系列型材目录

S8713 T=1.0mm 0.167kg/m		R89811 T=0.8mm 0.175kg/m		GY-CH8020 T=1.1mm 0.315kg/m		GY-76312 T=1.3mm 0.208kg/m	
ZH9530 T=1.0mm 0.304kg/m		GY-10108 T=0.8mm 0.151kg/m		CJ14016 T=1.2mm 0.250kg/m		GY-9607 T=0.8mm 0.215kg/m	
GY-K80808 T=0.8mm 0.131kg/m		GR70612 T=1.2mm 0.331kg/m		T211812 T=1.0mm 0.17kg/m		20909 T=1.0mm 0.248kg/m	
GY-H7708 T=1.0mm 0.234kg/m		GY-90A08 T=1.0mm 0.264kg/m		YB7208 T=1.2mm 0.347kg/m		MF89808 T=1.0mm 0.254kg/m	
GY-82808 T=1.0mm 0.316kg/m		GY-75813 T=1.0mm 0.253kg/m		ZH9530 T=1.5mm 0.322kg/m		GSN9008 T=0.85mm 0.275kg/m	
20812 T=0.8mm 0.171kg/m		ZH9530 T=1.4mm 0.225kg/m		GY-R70608 T=1.1mm 0.341kg/m		D7008 T=0.8mm 0.265kg/m	
HY76814 T=1.2mm 0.322kg/m		GY-F89814 T=1.0mm 0.236kg/m		GY-K89815 T=1.1mm 0.312kg/m		GYX8025 T=1.0mm 0.239kg/m	







说明：部分\*标识产品暂无模具，如有需要请与我司联系，敬请知悉！



## 收口系列型材目录

GY-K86808 T=1.4mm 0.349kg/m		2004-10 T=1.2mm 0.24kg/m		GY-82838 T=1.0mm 0.337kg/m		2001C-15M T=1.4mm 0.328kg/m	
GYX8813 T=1.1mm 0.236kg/m		BD8512 T=0.8mm 0.185kg/m		HY21008 T=1.1mm 0.304kg/m		GB2012M T=1.1mm 0.297kg/m	
2001C-15 T=1.25mm 0.291kg/m		2001-08 T=1.0mm 0.342kg/m		P821 T=0.7mm 0.149kg/m		20018 T=2.0mm 0.622kg/m	
SE8522 T=1.1mm 0.321kg/m		GB2012 T=1.1mm 0.288kg/m		HN90818 T=1.4mm 0.329kg/m		GY-9008 T=1.2mm 0.417kg/m	
NH86608A T=1.0mm 0.315kg/m		A902012 T=1.2mm 0.438kg/m		NH86608B T=1.2mm 0.345kg/m		GY-9008H T=0.9mm 0.302kg/m	
HYM8020X T=1.4mm 0.267kg/m		GY-8512 T=1.0mm 0.297kg/m		GY-90809 T=1.3mm 0.306kg/m			
YB8308A T=0.8mm 0.212kg/m		TL8908 T=1.0mm 0.256kg/m		TM11009 T=1.3mm 0.302kg/m			

## 收口系列型材目录

CX040				
T=1.3mm				
0.291kg/m				
TLG9008				
T=1.1mm				
0.165kg/m				
TLA8008				
T=1.0mm				
0.152kg/m				
L8813				
T=1.0mm				
0.110kg/m				
ZJ9020				
T=1.4mm				
0.225kg/m				
CL21008A				
T=1.1mm				
0.304kg/m				

说明：部分\*标识产品暂无模具，如有需要请与我司联系，敬请知悉！



## 纱窗 系列型材目录

<b>01-纱窗</b> 20088A14A T=0.7mm 0.269kg/m		<b>08-纱窗</b> 84300A T=0.8mm 0.32kg/m		<b>15-纱窗</b> 84300H T=0.8mm 0.34kg/m		<b>22-纱窗</b> B8011 T=0.7mm 0.225kg/m	
<b>02-纱窗</b> 20088A30 T=0.7mm 0.228kg/m		<b>09-纱窗</b> 84300B T=0.8mm 0.242kg/m		<b>16-纱窗</b> 86920 T=1.0mm 0.371kg/m		<b>23-纱窗</b> B89810-1 T=0.9mm 0.27kg/m	
<b>03-纱窗</b> 70122 T=0.7mm 0.224kg/m		<b>10-纱窗</b> 84300C T=0.8mm 0.286kg/m		<b>17-纱窗</b> 86920A T=0.8mm 0.288kg/m		<b>24-纱窗</b> B89810-2 T=0.9mm 0.251kg/m	
<b>04-纱窗</b> 70123 T=0.7mm 0.234kg/m		<b>11-纱窗</b> 84300D T=1.0mm 0.399kg/m		<b>18-纱窗</b> 86920E T=0.6mm 0.243kg/m		<b>25-纱窗</b> CM8509 T=1.0mm 0.35kg/m	
<b>05-纱窗</b> 82814 T=0.65mm 0.294kg/m		<b>12-纱窗</b> 84300E T=1.0mm 0.410kg/m		<b>19-纱窗</b> 89812A T=1.0mm 0.236kg/m		<b>26-纱窗</b> CM8509A T=1.0mm 0.36kg/m	
<b>06-纱窗</b> 82809 T=1.0mm 0.368kg/m		<b>13-纱窗</b> 84300F T=0.8mm 0.256kg/m		<b>20-纱窗</b> 89909E T=0.7mm 0.369kg/m		<b>27-纱窗</b> D7600 T=0.6mm 0.218kg/m	
<b>07-纱窗</b> 82814C T=1.0mm 0.294kg/m		<b>14-纱窗</b> 84300G T=0.8mm 0.234kg/m		<b>21-纱窗</b> B8010 T=0.7mm 0.214kg/m		<b>28-纱窗</b> D7600A T=0.6mm 0.218kg/m	

纱窗 系列型材目录							
01-纱窗 D20089 T=0.8mm 0.223kg/m		08-纱窗 FZ7708A T=1.1mm 0.34kg/m		15-纱窗 SC03 T=0.7mm 0.20kg/m		22-纱窗 SC020 T=0.7mm 0.23kg/m	
02-纱窗 D20089A T=1.0mm 0.343kg/m		09-纱窗 GR706209 T=0.75mm 0.254kg/m		16-纱窗 SC05 T=0.8mm 0.39kg/m		23-纱窗 SC021 T=0.8mm 0.280kg/m	
03-纱窗 D20089B T=1.0mm 0.284kg/m		10-纱窗 GRC8863 T=1.2mm 0.366kg/m		17-纱窗 SC06 T=0.8mm 0.386kg/m		24-纱窗 SC9014 T=0.8mm 0.345kg/m	
04-纱窗 D87814 T=0.8mm 0.333kg/m		11-纱窗 H7718 T=0.7mm 0.212kg/m		18-纱窗 SC09 T=0.6mm 0.112kg/m		25-纱窗 SC9024 T=0.8mm 0.315kg/m	
05-纱窗 D87814A T=0.8mm 0.324kg/m		12-纱窗 3515 T=1.0mm 0.215kg/m		19-纱窗 SC015 T=0.7mm 0.221kg/m		26-纱窗 SC9024A T=1.0mm 0.482kg/m	
6-纱窗 5312 T=0.8mm 0.211kg/m		13-纱窗 R89812 T=0.8mm 0.258kg/m		20-纱窗 SC017 T=1.0mm 0.346kg/m		27-纱窗 SC95001 T=1.0mm 0.445kg/m	
07-纱窗 FZ7708 T=1.0mm 0.30kg/m		14-纱窗 R89812B T=0.8mm 0.275kg/m		21-纱窗 SC019 T=0.5mm 0.149kg/m		28-纱窗 SC95002 T=1.0mm 0.380kg/m	

说明：部分\*标识产品暂无模具，如有需要请与我司联系，敬请知悉！








## 纱窗 系列型材目录

<b>01-纱窗</b> SE8529 $T=1.0\text{mm}$ 0.363kg/m		<b>08-纱窗</b> 003 $T=1.0\text{mm}$ 0.232kg/m		<b>15-纱窗</b> 008 $T=1.0\text{mm}$ 0.288kg/m		<b>22-纱窗</b> 018 $T=0.8\text{mm}$ 0.174kg/m	
<b>02-纱窗</b> TC8716 $T=0.7\text{mm}$ 0.256kg/m		<b>09-纱窗</b> 004 $T=1.0\text{mm}$ 0.302kg/m		<b>16-纱窗</b> 009 $T=1.0\text{mm}$ 0.273kg/m		<b>23-纱窗</b> 019 $T=0.9\text{mm}$ 0.252kg/m	
<b>03-纱窗</b> YB8305FS $T=1.0\text{mm}$ 0.553kg/m		<b>10-纱窗</b> 005 $T=1.0\text{mm}$ 0.257kg/m		<b>17-纱窗</b> 013 $T=1.0\text{mm}$ 0.378kg/m		<b>24-纱窗</b> 020 $T=0.8\text{mm}$ 0.277kg/m	
<b>04-纱窗</b> YB8307FS $T=1.0\text{mm}$ 0.64kg/m		<b>11-纱窗</b> 006 $T=0.6\text{mm}$ 0.149kg/m		<b>18-纱窗</b> 014 $T=0.7\text{mm}$ 0.162kg/m		<b>25-纱窗</b> 604 $T=0.9\text{mm}$ 0.275kg/m	
<b>05-纱窗</b> 001 $T=1.0\text{mm}$ 0.235kg/m		<b>12-纱窗</b> 006A $T=0.6\text{mm}$ 0.167kg/m		<b>19-纱窗</b> 2001C-18 $T=0.9\text{mm}$ 0.309kg/m		<b>26-纱窗</b> 023 $T=0.5\text{mm}$ 0.12kg/m	
<b>06-纱窗</b> 002 $T=0.6\text{mm}$ 0.174kg/m		<b>13-纱窗</b> 007 $T=1.0\text{mm}$ 0.253kg/m		<b>20-纱窗</b> 016 $T=0.6\text{mm}$ 0.143kg/m		<b>27-纱窗</b> 024 $T=0.6\text{mm}$ 0.149kg/m	
<b>07-纱窗</b> 002A $T=0.6\text{mm}$ 0.177kg/m		<b>14-纱窗</b> 007A $T=1.0\text{mm}$ 0.28kg/m		<b>21-纱窗</b> 017 $T=0.8\text{mm}$ 0.302kg/m		<b>28-纱窗</b> 024-1 $T=0.6\text{mm}$ 0.152kg/m	

纱窗 系列型材目录					
01-纱窗 024-2 T=0.6mm 0.151kg/m		08-纱窗 060A T=0.8mm 0.257kg/m		平开纱窗 G0862 T=1.0mm 0.244kg/m	
纱窗 SC022 T=0.8mm 0.300kg/m					
02-纱窗 026 T=0.8mm 0.276kg/m		09-纱窗 072 T=0.8mm 0.257kg/m		平开纱窗 G0864 T=1.1mm 0.289kg/m	
纱窗 SC023 T=0.8mm 0.282kg/m					
03-纱窗 029 T=0.8mm 0.268kg/m		10-纱窗 SC083 T=0.8mm 0.293kg/m		平开纱窗 G0864A T=1.1mm 0.253kg/m	
纱窗 G1203 T=0.7mm 0.218kg/m					
04-纱窗 083 T=0.6mm 0.201kg/m		11-纱窗 CJ001 T=0.9mm 0.382kg/m		平开纱窗 G0865 T=1.1mm 0.080kg/m	
纱窗 YB2114A T=0.8mm 0.323kg/m					
05-纱窗 031 T=0.5mm 0.123kg/m		TC87B10 T=0.8mm 0.400kg/m		平开纱窗 G0866 - 0.276kg/m	
纱窗 70122A T=0.7mm 0.239kg/m					
06-纱窗 056 T=0.6mm 0.201kg/m		XHC8027 T=1.0mm 0.238kg/m		YAS-10 T=1.0mm 0.305kg/m	
纱窗 70123A T=0.7mm 0.26kg/m					
07-纱窗 056A T=0.6mm 0.167kg/m		YAS-45 T=1.2mm 0.504kg/m T=1.4mm 0.555kg/m		YAS-10A T=0.7mm 0.223kg/m	
纱窗 YAS-71 T=0.9mm 0.406kg/m					

说明：部分\*标识产品暂无模具，如有需要请与我司联系，敬请知悉！

### 纱窗 系列型材目录

竖纱				
A7912				
T=0.8mm				
0.356kg/m				
横纱				
A7912A				
T=0.8mm				
0.319kg/m				
横纱				
A7912B				
T=0.8mm				
0.353kg/m				
竖纱				
A7912C				
T=0.8mm				
0.374kg/m				
				
SC024				
T=1.2mm				
0.414kg/m				